

iKrusher AC1612-V10 Cigar Pods

METRC Batch: ; METRC Sample:

Sample ID: 2104ENC2686_7421
Strain: iKrusher AC1612-V10 Cigar Pods

Collected:
Received: 04/09/2021
Completed: 04/21/2021
Sample Size: 1 units; Batch:

Client
iKrusher Inc
Lic. #
11818 Clark St
Arcadia, CA 91006

Matrix: Concentrates & Extracts
Type: Distillate
Batch#:



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Heavy Metals	04/13/2021	ICP-MS	Pass



Kevin Nolan
Laboratory Director
04/21/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



iKrusher AC1612-V10 Cigar Pods

METRC Batch: ; METRC Sample:

Sample ID: 2104ENC2686_7421
Strain: iKrusher AC1612-V10 Cigar Pods

Collected:
Received: 04/09/2021
Completed: 04/21/2021
Sample Size: 1 units; Batch:

Client
iKrusher Inc
Lic. #
11818 Clark St
Arcadia, CA 91006

Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Heavy Metals

Method: SOP EL-HEAVYMETALS
ICP-MS

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.2	ND	Pass
Cadmium	0.015	0.044	0.2	ND	Pass
Lead	0.055	0.167	0.5	ND	Pass
Mercury	0.005	0.015	0.1	ND	Pass



Date Tested: 04/13/2021
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan
Kevin Nolan
Laboratory Director
04/21/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.